EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	187	(real-time adj emulation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/27 10:26
L2	33	1 and (simulation with clock)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/27 10:32
L3	287	(simulation adj clock)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/27 10:32
L4	78	3 and (real-time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/27 10:32
L5	6	4 and API	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/27 10:36
L6	72	4 not 5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/27 10:36
L7	17	("5375074" | "5440719" | "5794128" | "5828867" | "5832272" | "5850538" | "5956261").PN. OR ("6134514").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/02/27 10:46

EAST Search History

L8	21	("4669113" | "4792913" | "4979118" | "5197127" | "5317525" | "5440719" | "5481484" | "5537468" | "5561841" | "5583792" | "5701439" | "5794005" | "5809282" | "5828867" | "5881237" | "6081843" | "6134514" | "6393386" | "6442141" | "6466925").PN. OR ("6820042"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/02/27 11:15
L9	18	(opnet and technologies).as.	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/27 11:40
L10	3315	(event with clock) and real-time	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/27 11:41
L11	202	(event with (call adj back)) and real-time	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/27 11:41
L12	0	11 and (real-time adj simulator)	USPAT	OR	OFF	2007/02/27 11:42
L13	0	11 and (real-time with simulator)	USPAT	OR	OFF	2007/02/27 11:42
L14	0	11 and (real-time with simulat$5)	USPAT	OR	OFF	2007/02/27 11:42
L15	25	11 and real-time and simulat$5	USPAT	OR	ON	2007/02/27 11:42

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	("6820042").PN.	USPAT	OR	OFF	2007/02/27 12:55
S2	0	S1 and (simulation adj clock)	USPAT	OR	OFF	2007/02/27 12:54
S3	0	S1 and (simulation with clock)	USPAT	OR	OFF	2007/02/27 12:54
S4	65	continuous and (real-time or (real adj time)) and simulator and synchronization and clock and event and advancing	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/27 12:57

2-27-2007

THE ACM DIGITAL LIBRARY

❦ Feedback Report a problem Satisfaction survey

Terms used **Absolute clock**   Found **2** of **198,146**

Sort results by | relevance   ▼ | ❦ Save results to a Binder   Try an Advanced Search
Display results | expanded form ▼ | ? Search Tips   Try this search in The ACM Guide
                                                ☐ Open results in a new window

Results 1 - 2 of 2

Relevance scale ☐ ▭ ▬ ▰ ■

¹ Duration calculus in COOZ
                                                                                    ▭
Xiaodong Yuan, Jiajun Chen, Guoliang Zheng
May 1998 **ACM SIGSOFT Software Engineering Notes**, Volume 23 Issue 3
Publisher: ACM Press
Full text available: 🗎 pdf(106.53 KB) Additional Information: full citation, index terms

2 Microarchitecural techniques for power reduction: Improved clock-gating through transparent pipelining
                                                                                    ▭
Hans M. Jacobson
August 2004 **Proceedings of the 2004 international symposium on Low power electronics and design ISLPED '04**
Publisher: ACM Press
Full text available: 🗎 pdf(97.40 KB)   Additional Information: full citation, abstract, references, index terms

This paper re-examines the well established clocking principles of pipelines. It is observed that clock gating techniques that have long been assumed optimal in reality produce a significant amount of redundant clock pulses. The paper presents a new theory for optimal clocking of synchronous pipelines, presents practical implementations and evaluates the clock power benefits on a multiply/add-accumulate unit design. Transistor level simulations show that dynamic clock power dissipation can be re ...

Keywords: adaptive pipeline depth, circuits, clock gating, dynamic pipeline scaling, high performance, low power, microarchitecture, optimal pipeline clocking, pipeline stage unification, transparent pipeline

Results 1 - 2 of 2

P☉RTAL

USPTO

Search: ⦿ The ACM Digital Library   ⊂ The Guide

+"simulation clock" +real-time

SEARCH

THE ACM DIGITAL LIBRARY

⬤⟨ Feedback Report a problem Satisfaction survey

Terms used **simulation clock** **real** **time**

Found **223** of **223**

Sort results by [relevance ▼]

Display results [expanded form ▼]

📗 Save results to a Binder

🔲 Search Tips

☐ Open results in a new window

Try an Advanced Search
Try this search in The ACM Guide

Results 1 - 20 of 200
Best 200 shown

Result page: **1**   2   3   4   5   6   7   8   9   10   next

Relevance scale ☐ ⬛ ⬛ ⬛ ⬛

1 Looking ahead of real time in Hybrid component networks   ⬛
Kaixin Xu, Mineo Takai, Jay Martin, Rajive Bagrodia
May 2001 **Proceedings of the fifteenth workshop on Parallel and distributed simulation PADS '01**
Publisher: IEEE Computer Society
Full text available: 📄 pdf(677.85 KB)   Additional Information: full citation, abstract, references, citings, index terms
📄 Publisher Site

While network simulation is a widely used technique for developing, testing and evaluating network protocols and applications, it is difficult and time-consuming to develop detailed models of the entire protocol stack and the application that is being evaluated. Hybrid component networks combine simulation models of protocols and applications with physical implementations of other protocols and/or applications, which can alleviate modeling complexity and build accurate models. However, hyb ...

2 Requirements for transitioning business process simulation models to real-time   ⬛
◈ operational systems
Peter Floss
December 1997 **Proceedings of the 29th conference on Winter simulation WSC '97**
Publisher: ACM Press, IEEE Computer Society
Full text available: 📄 pdf(475.84 KB)   Additional Information: full citation, references, index terms

3 Simulation-based real-time scheduling: review of recent developments   ⬛
◈ Catherine M. Harmonosky
December 1995 **Proceedings of the 27th conference on Winter simulation WSC '95**
Publisher: ACM Press, IEEE Computer Society
Full text available: 📄 pdf(606.30 KB)   Additional Information: full citation, abstract, references, citings, index terms

With increased usage of computer monitoring of the factory has come increased industrial and academic interest in developing more science-based real-time scheduling techniques. Simulation, best known for its application during system design or modification, is also being considered for use on day-to-day scheduling problems. This paper reviews recent developments using simulation as a tool in real-time scheduling.

Google Scholar BETA

Scholar All articles Recent articles Results **1 - 10** of about **18** for **simulation author:kubischta**. (0.08 seco

All Results

kubischta
A Lai
W Kubischta
A Ceccucci
D Cundy
A Gonidec

Measurement of the decay rate and form factor parameter a in - group of 4 »
... , G Govi, P Grafstrom, W **Kubischta**, A Lacourt, S ... - Physics Letters B, 1999 -
na48.web.cern.ch
Page 1. 15 July 1999 Ž . Physics Letters B 458 1999 553–563 Measurement of the decay
rate and form factor parameter a in) K the decay K ™e q e y g L ...
Cited by 21 - Related Articles - View as HTML - Web Search

A precise measurement of the direct CP violation parameter Re (ε/ε) - group of 14 »
... , G Govi, P Grafstrom, W **Kubischta**, A Lacourt, M ... - Eur. Phys. J. C, 2001 -
publish.edpsciences.org
... remaining differences in beam divergences and beam geometries are corrected
us- ing Monte Carlo **simulation**. The small difference ...
Cited by 105 - Related Articles - Web Search - BL Direct

Wireless network emulation for distributed processing systems - group of 2 »
RJ Wellington, MD **Kubischta** - Military Communications Conference, 2003. MILCOM 2003.
IEEE, 2003 - ieeexplore.ieee.org
... With compatible **simulations** and emulations, system development can progress naturally
through functional design, system **simulation**, node prototyping, and ...
Cited by 2 - Related Articles - Web Search - BL Direct

A measurement of the transverse polarization of$\ Lambda$-hyperons produced in inelastic pN- ... - group of 10 »
... A Gonidec, P Grafstrom, W **Kubischta**, V Marzulli, G ... - Eur. Phys. J. C, 1999 -
publish.edpsciences.org
... In this **simulation** exactly two reconstructed tracks hit the hodoscope in two diagonally
opposite quadrants and the energy in the calorimeter was greater than ...
Cited by 7 - Related Articles - Web Search - BL Direct

[PS] Search for the decay KS→ π
... , G Govi, P Grafström, W **Kubischta**, A Lacourt, M ... - Physics Letters B, 2001 -
hep.fi.infn.it
... channel. A detector **simulation** based on Geant 3.21 [7] was used throughout
this analysis. 3. Data analysis 3.1. Event selection ...
Cited by 3 - Related Articles - View as HTML - Web Search

Measurement of K 0 e3 form factors - group of 3 »
... , G Govi, P Grafstrom, W **Kubischta**, A Lacourt, A ... - Arxiv preprint hep-ex/0410065,
2004 - arxiv.org
... A more detailed description of the NA48 setup can be found elsewhere [11]. 3 Data
processing and Monte Carlo **simulation** 3.1 Trigger and data taking ...
Cited by 1 - Related Articles - View as HTML - Web Search

Search for CP violation in K 0→ 3π 0 decays - group of 4 »
... , B Gorini, P Grafstrom, W **Kubischta**, A Lacourt, I ... - Arxiv preprint hep-ex/0408053,
2004 - arxiv.org

P🌀RTAL

.USPTO

non real-time simulator   **SEARCH**

THE GUIDE TO COMPUTING LITERATURE

●ᐸ Feedback Report a problem Satisfaction survey

Terms used **non real time simulator**   Found **34,436** of **1,011,750**

Sort results by   [relevance ▼]   ❤ Save results to a Binder   Try an Advanced Search
Display results   [expanded form ▼]   ? Search Tips   Try this search in The Digital Library
                                            ☐ Open results in a new window

Results 1 - 20 of 200   Result page: **1** 2 3 4 5 6 7 8 9 10   next
Best 200 shown   Relevance scale ☐ ⬜ ◪ ◼ ■

1 **Priority assignment in real-time active databases**
   Rajendran M. Sivasankaran, John A. Stankovic, Don Towsley, Bhaskar Purimetla, Krithi Ramamritham
   January 1996 **The VLDB Journal — The International Journal on Very Large Data Bases**, Volume 5 Issue 1
   Publisher: Springer-Verlag New York, Inc.
   Full text available: 📄 pdf(634.63 KB)   Additional Information: full citation, abstract, citings, index terms

   Active databases and real-time databases have been important areas of research in the recent past. It has been recognized that many benefits can be gained by integrating real-time and active database technologies. However, not much work has been done in the area of transaction processing in real-time active databases. This paper deals with an important aspect of transaction processing in real-time active databases, namely the problem of assigning priorities to transactions. In these systems, tim ...

   Keywords: Active databases - Coupling mode - Deadlines - ECA - Priority assignment - Real-time databases

2 · **Investigation of non-interference real-time debugging through bus cycle simulation and interpretation**
   T. R. Cahall, K. Y. Fang
   December 1987 **Proceedings of the 1987 Fall Joint Computer Conference on Exploring technology: today and tomorrow ACM '87**
   Publisher: IEEE Computer Society Press
   Full text available: 📄 pdf(777.10 KB)   Additional Information: full citation, abstract, references, index terms

   In the recent decade, software development and debugging advancements have been greatly outpaced by the advancements in hardware design and integration. The largest portion of time spent in software development is testing and debugging. Symbolic debuggers, syntax directed editors, and high level language oriented breakpoint systems have helped reduce the time spent by software developers in debugging their programs. This is not the case for timing and load sensitive real-time software. Conv ...

3 **Invited papers: ACROE - ICA: artistic creation and computer interactive multisensory simulation force feedback gesture transducers**
   Claude Cadoz, Annie Luciani, Jean-Loup Florens, Nicolas Castagné
   May 2003 **Proceedings of the 2003 conference on New interfaces for musical**

IEEE Xplore® RELEASE 2.2

Welcome United States Patent and Trademark Office

☐ Search Results

BROWSE   SEARCH   IEEE XPLORE GUIDE

Results for "((simulation and modeling<in>metadata) <and> (non real-time<in>metadata))"   ☑e-mail
Your search matched **60** of **1513808** documents.
A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.

» Search Options

View Session History

New Search

» Key

IEEE JNL	IEEE Journal or Magazine
IET JNL	IET Journal or Magazine
IEEE CNF	IEEE Conference Proceeding
IET CNF	IET Conference Proceeding
IEEE STD	IEEE Standard

Modify Search

((simulation and modeling<in>metadata) <and> (non real-time<in>metadata))   **Search**

☐ Check to search only within this results set

Display Format: ⦿ Citation ◯ Citation & Abstract

view selected items   Select All Deselect All   View: 1-

☐ 1. **Performance analysis of a preemptive and priority reservation handoff sc integrated service-based wireless mobile networks**
Jingao Wang; Qing-An Zeng; Agrawal, D.P.;
Mobile Computing, IEEE Transactions on
Volume 2, Issue 1, Jan.-March 2003 Page(s):65 - 75
Digital Object Identifier 10.1109/TMC.2003.1195152

AbstractPlus | References | Full Text: PDF(2219 KB)   IEEE JNL
Rights and Permissions

☐ 2. **Quality-of-Service degradation strategies in multimedia wireless network**
Sen, S.; Jawanda, J.; Basu, K.; Das, S.;
Vehicular Technology Conference, 1998. VTC 98. 48th IEEE
Volume 3, 18-21 May 1998 Page(s):1884 - 1888 vol.3
Digital Object Identifier 10.1109/VETEC.1998.686083

AbstractPlus | Full Text: PDF(500 KB)   IEEE CNF
Rights and Permissions

☐ 3. **Propulsion directorate/control and engine health management (CEHM): r engine simulation**
Curry, T.; Behbahani, A.;
Aerospace Conference, 2004. Proceedings. 2004 IEEE
Volume 5, 6-13 March 2004 Page(s):3414 - 3423 Vol.5

AbstractPlus | Full Text: PDF(530 KB)   IEEE CNF
Rights and Permissions

☐ 4. **A novel mobility model and resource reservation strategy for multimedia networks**
Hoang Nam Nguyen; Olariu, S.; Todorova, P.;
Wireless Communications and Networking Conference, 2002. WCNC2002. 20
Volume 2, 17-21 March 2002 Page(s):832 - 836 vol.2
Digital Object Identifier 10.1109/WCNC.2002.993376

AbstractPlus | Full Text: PDF(345 KB)   IEEE CNF
Rights and Permissions

☐ 5. **QoS analysis in mobile cellular networks supporting voice and class of fi**
Mahdavi, M.; Edwards, R.M.; Ivey, P.A.;
Vehicular Technology Conference, 2001. VTC 2001 Fall. IEEE VTS 54th
Volume 4, 7-11 Oct. 2001 Page(s):2692 - 2697 vol.4

2-27-07

IEEE Xplore® RELEASE 2.2

Welcome United States Patent and Trademark Office

□ Search Results

BROWSE   **SEARCH**   **IEEE XPLORE GUIDE**

Results for "((simulator<in>metadata) <and> (non real-time<in>metadata))<and> (clo..."   ☑ e-mail
Your search matched **0** documents.
A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.

» Search Options

View Session History

New Search

» Key

IEEE JNL	IEEE Journal or Magazine
IET JNL	IET Journal or Magazine
IEEE CNF	IEEE Conference Proceeding
IET CNF	IET Conference Proceeding
IEEE STD	IEEE Standard

Modify Search

((simulator<in>metadata) <and> (non real-time<in>metadata))<and> (clock sync | Search |

☐ Check to search only within this results set

Display Format: ◉ Citation   ○ Citation & Abstract

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistan
search.

Help   Contact Us   Privacy & :

Indexed by
☷ Inspec®

IEEE *Xplore* ®
RELEASE 2.2

Welcome United States Patent and Trademark Office

☐ **Search Results**   **BROWSE**   **SEARCH**   . **IEEE XPLORE GUIDE**

Results for "((simulation<in>metadata) <and> (non real-time<in>metadata))<and> (re..."   ☑ e-mail
Your search matched **0** documents.
A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.

» Search Options

View Session History

New Search

» Key

IEEE JNL	IEEE Journal or Magazine
IET JNL	IET Journal or Magazine
IEEE CNF	IEEE Conference Proceeding
IET CNF	IET Conference Proceeding
IEEE STD	IEEE Standard

Modify Search

((simulation<in>metadata) <and> (non real-time<in>metadata))<and> (real-time   Search

☐ Check to search only within this results set

Display Format: ⦿ Citation ○ Citation & Abstract

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistan search.

Help   Contact Us   Privacy & :

Indexed by
Inspec®

2-27-07

IEEE *Xplore* ®
RELEASE 2.2

Home | Login | Logout | Access Information | Alerts |

Welcome United States Patent and Trademark Office

☐ **Search Results**   **BROWSE**   **SEARCH**   **IEEE XPLORE GUIDE**

Results for "((real-time clock<in>metadata) <and> (non real-time<in>metadata))"   ☑ e-mail
Your search matched **0** documents.
A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.

» Search Options

View Session History

New Search

» Key

IEEE JNL	IEEE Journal or Magazine
IET JNL	IET Journal or Magazine
IEEE CNF	IEEE Conference Proceeding
IET CNF	IET Conference Proceeding
IEEE STD	IEEE Standard

Modify Search

((real-time clock<in>metadata) <and> (non real-time<in>metadata))   [Search]

☐ Check to search only within this results set

Display Format: ◉ Citation   ◯ Citation & Abstract

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistan search.

Help   Contact Us   Privacy & :
© Copyright 2006 IEEE –

Indexed by
Inspec®

2-27-07

2-27-07 is handwritten at top

Google

Web   Images   Video   News   Maps   **more »**

"real-time clock" "non real-time"	Search	Advanced Search
		Preferences

Web   Results **1 - 10** of about **12,400** for **"real-time clock" "non real-time"**. (0.39 seconds)

[PDF] The real-time specification for java - Computer
File Format: PDF/Adobe Acrobat
tional from real-time to **non-real-time**. NHRTs typi-. cally use the write (real-time) operation;
... RealtimeClock(), represents the **real-time clock** and ...
ieeexplore.ieee.org/iel5/2/18367/00846318.pdf?arnumber=846318 - Similar pages

[PDF] An IEEE1394-based Real-Time Distributed IPC System for ...
File Format: PDF/Adobe Acrobat
automatically by a **real-time clock** when a given. timing constraint; called AAC
(Autonomous ... isochronous messages because **non-real-time** messages are ...
ieeexplore.ieee.org/iel5/10852/34193/01630514.pdf - Similar pages

Hypertext Ada 95 Rationale - Part Three - Chapter D
... existing practice and other (**non-real-time**) requirements for a standard clock ... It is
desirable to utilize one timer to implement the **real-time clock**, ...
www.adaic.org/standards/95rat/RAThtml/rat95-p3-d.html - 155k - Cached - Similar pages

[PDF] Middleware for Real-Time Distributed Simulations
File Format: PDF/Adobe Acrobat - View as HTML
described, and its performance compared against a **non-real-time** implementation. ...
execute asynchronously, one can use a **real-time clock** to schedule LBTS ...
www.cc.gatech.edu/ccg/paper_of_week/NextGen-final.pdf - Similar pages

Shielded CPUs: Real-Time Performance in Standard Linux | Linux Journal
... and because they occur at unpredictable points in time, **non-real-time** ... This test was
chosen because it uses the **Real Time Clock** (RTC) driver, ...
www.linuxjournal.com/article/6900 - 32k - Cached - Similar pages

[PDF] LJ2 (Page 1)
File Format: PDF/Adobe Acrobat - View as HTML
they occur at unpredictable points in time, **non-real-time**. interrupts can cause significant ...
chosen because it uses the **Real Time Clock** (RTC) driver, a ...
www.ccur.com/isddocs/ShieldedCPUS_LinuxJournalreprint.pdf - Similar pages

Testing Real-Time Linux
... of a 120 MHz Pentium with Linux kernel 2.0.29 (standard or **Non Real-Time** Linux), ... In
RT-Linux (see code) the provided **real time clock** is used to ...
www.fisica.unlp.edu.ar/rt/ - 6k - Cached - Similar pages

[PDF] Monitoring and Debugging Distributed Real-time Programs
File Format: PDF/Adobe Acrobat - View as HTML
real-time clock or altering timeout values during monitoring operations, ... on a **non-real-
time** workstation outside the HARTS system, each monitor processor ...
www.cs.ucr.edu/~ravi/Papers/Jrnl/dodd-spe.pdf - Similar pages

Real-Time Systems Products for Embedded Computing
... using **non Real-Time** operating Systems such as Windows or Linux. ... keyboard and
PS/2 mouse controllers, **Real-Time clock**, and watch dog timer ...
www.embedded-computing.com/products/search/index.php?
max=40&skip=0&op=ew&q=Real-Time+Systems - 74k - Cached - Similar pages